

Loud Haus 1.5g THCa Pre-roll

Sample ID: 2512AFL2226.8181

Internal Lab ID: ATL-33858

Client

Strain: Green Crack

Loud Haus

Matrix: Plant

Received: 12/29/2025

Lic. #

Type: Preroll

Completed: 01/06/2026

8067 red jasper

Unit Weight: 1.5 g

Batch#: 1225-LH-1.5G-GC

Delray Beach, FL 33446



Summary

Test

Date Tested

Result

Batch

Complete

Cannabinoids

01/05/2026

Complete

Basic Potency - HPLC

Complete

6.352% Total THC	4.332% Total CBD	13.161% Total Cannabinoids
----------------------------	----------------------------	--------------------------------------

Analyte	LOD	LOQ	Result	Result	Analyte	LOD	LOQ	Result	Result
	%	%	%	mg/unit		%	%	%	mg/unit
CBDVa	0.001	0.002	0.022	0.33	CBN	0.001	0.002	ND	ND
CBDV	0.001	0.002	ND	ND	Δ 9-THC	0.001	0.002	ND	ND
CBDa	0.001	0.002	3.429	51.44	Δ 8-THC	0.001	0.002	ND	ND
CBGa	0.001	0.002	0.933	14.00	(6aR,9S)-d10-THC	0.001	0.003	ND	ND
CBG	0.001	0.002	ND	ND	(6aR,9R)-d10-THC	0.001	0.003	ND	ND
CBD	0.001	0.002	1.325	19.87	CBC	0.001	0.002	0.059	0.89
THCV	0.001	0.002	ND	ND	CBCa	0.001	0.002	0.150	2.24
Δ 8-THCV	0.001	0.003	ND	ND	THCa	0.001	0.002	7.243	108.65
THCVa	0.001	0.002	ND	ND	Total			13.161	197.41

Document ID: CoA-1 Potency Rev. 6, Test Method: TM-2

Date Tested: 01/05/2026

Equations: Total Active THC = 9THC + (0.877 * THCA), Total Active CBD = CBD + (0.877 * CBDA), Potency via HPLC

NT Not Tested Document ID: Moisture Content	NT Not Tested Document ID: Water Activity	Not Tested Document ID: Foreign Matter
---	---	---




Lise Berthe-Laurent
Laboratory Director
01/06/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.